50X1-HUM

INTELLOFAX 21

CONFIDENTIAL

CLASSIFICATION _____

COUNTRY __Germany (Soviet Zone)_____REPORT

TOPIC____Military Information from Rosslau-Meinsdorf_____

EVALUATION_____ PLACE OBTAINED _____ 50X1-HUM

DATE OF CONTENT_____

DATE OBTAINED_____ DATE PREPARED__8 March 1951

REFERENCES___

PAGES__1_____ENCLOSURES (NO. & TYPE)_____

REMARKS_____

50X1-HUM

50X1-HUM

1. On 7 February, the northern section of the barracks installation at Rosslau-
Meinsdorf (N 52/E 17) quartered about 1,200 troops who wore red-bordered
black epaulets, some with tank insignia. A spur track leading to the
installation was being laid, and a side-ramp, 80 to 100 meters long, was being
constructed at a point about 250 meters from the junction of the main track.
Three T-34/85 tanks were seen being used for driving practice. 50X1-HUM

2. The six large four-story buildings in the southern section of the installation
were occupied to capacity by about 1,200 troops wearing black epaulets. Truck
left through the new barracks gate on Lukowerstrasse. 50X1-HUM

* Comment. The northern section of the barracks installation probably is
the northeastern section, which formerly quartered the German 60th Engr Bn
and the German engineer school. Units of the 7th Gds Tank Div now stationed
there were confirmed The southern 50X1-HUM
section probably is the western section, which formerly quartered the German
Engr Instruction Battalion and the 51st Engr Bn. The 36th Pon Bridge Regt
of the CCFC is now located there. However, it is believed to have only about
900 men. 50X1-HUM

Document No. __8_____
No Change In Class. ☐
☐ **Declassified**
Class. Changed To: TS S/C
Auth.: HR 70-2
Date: 020828

50X1-HUM

LO

CLASSIFICATION SECRET/CONTROL/US OFFICIALS ONLY

CONFIDENTIAL